



WAIS®-IV *Report Writer*

sample report



Interpretive Report of WAIS IV Testing

Examinee and Testing Information

| | | | |
|----------------|-----------------|----------------|------------|
| Examinee Name | John Q Smithson | Date of Report | 2/4/2009 |
| Examinee ID | 12345 | Education | |
| Date of Birth | 12/7/1963 | Home Language | English |
| Gender | Male | Handedness | Right |
| Race/Ethnicity | White | Examiner Name | Jack Smith |

| | | | | | |
|-------------------|--------------------|----------------|------------------|---------|----|
| Test Administered | WAIS-IV (2/3/2009) | Age at Testing | 45 years 1 month | Retest? | No |
|-------------------|--------------------|----------------|------------------|---------|----|

WAIS-IV Comments

Score Summary

| WAIS-IV Scale | Score |
|----------------------|-------|
| Verbal Comprehension | 112 |
| Perceptual Reasoning | 84 |
| Working Memory | 86 |
| Processing Speed | 100 |
| Full Scale | 96 |
| General Ability | 99 |

Purpose for Evaluation

John was referred for an evaluation by Jack Mills, his physician, secondary to Physical difficulties (motor function) and Neurological difficulties (traumatic head injury).

Background

John is a 45-year-old married white male who lives with spouse/partner and has been for the past 17 years and 4 months. He has 2 children.

John achieved a degree from a masters program.

According to John, he has been diagnosed with brain trauma.

For the past years 3 months John is currently employed full-time as a(n) accountant. It is reported that his work performance is unsatisfactory due to not making deadlines. Previously, for 10 years 9 months John was previously employed full-time as a(n) accountant. It is reported that his work performance is exemplary.

Test Session Behavior

John arrived on time for the test session unaccompanied. John has experienced recent weight loss and his appearance was neat. He was oriented to person, place, time and situation. John exhibited notable motor difficulties during testing. In particular, he had a central nervous system problem. John's observed difficulties due to his physical disorder during testing may have moderately interfered with his capability to fully express his nonverbal reasoning abilities, as many of the nonverbal tasks require manipulation of small materials such as blocks. It is important to note that John's observed difficulties resulting from pain or discomfort experienced during testing may have had a minimal effect on his capability to fully express his true intellectual ability.

Interpretation of WAIS-IV Results

General Intellectual Ability

John performed much better on the verbal than on the nonverbal tasks of the Wechsler Adult Intelligence Scale-Fourth Edition (WAIS-IV). John's motor difficulties may have moderately interfered with his capability to fully express his nonverbal reasoning abilities. Many of the nonverbal tasks require the observation and manipulation of small materials such as blocks. John's general cognitive ability, therefore, is best estimated by his performance on the verbal tasks. His verbal reasoning ability is high average range and above that of approximately 79% of his peers (VCI = 112; 95% confidence interval = 106-117).

Verbal Comprehension

John's verbal reasoning abilities as measured by the Verbal Comprehension Index (VCI) are in the high average range and above those of approximately 79% of his peers (VCI = 112; 95% confidence interval = 106-117). The VCI is designed to measure verbal reasoning and concept formation. John performed comparably on the verbal subtests contributing to the VCI, suggesting that the various verbal cognitive abilities measured by these subtests are similarly developed. Furthermore, he may experience little or no difficulty in keeping up with his peers in situations that require verbal skills.

John achieved his best performance among the verbal reasoning tasks on the Information and Vocabulary subtests. His strong performances on the Information and Vocabulary subtests were better than that of most of his peers.

The Vocabulary subtest required John to explain the meaning of words presented in isolation. As a direct assessment of word knowledge, the subtest is one indication of his overall verbal comprehension. Performance on this subtest also requires abilities to verbalize meaningful concepts as well as to retrieve information from long-term memory (Vocabulary scaled score = 12). The Information subtest required John to respond orally to questions about common events, objects, places, and people. The subtest is primarily a measure of his fund of general knowledge. Performance on this subtest also may be

influenced by cultural experience and quality of education, as well as his ability to retrieve information from long-term memory (Information scaled score = 13).

Perceptual Reasoning

John's nonverbal reasoning abilities as measured by the Perceptual Reasoning Index (PRI) are in the low average range and above those of only 14% of his peers (PRI =84; 95% confidence interval = 79-91). The PRI is designed to measure fluid reasoning in the perceptual domain with tasks that assess nonverbal concept formation, visual perception and organization, visual-motor coordination, learning, and the ability to separate figure and ground in visual stimuli. John's performance on the perceptual reasoning subtests contributing to the PRI is somewhat variable, although the magnitude of this difference in performance is not unusual among individuals his age. Examination of John's performance on individual subtests provides additional information regarding his specific nonverbal abilities.

Working Memory

John's ability to sustain attention, concentrate, and exert mental control is in the low average range. He performed better than approximately 18% of his peers in this area (Working Memory Index (WMI) = 86; 95% confidence interval 80-94). John's abilities to sustain attention, concentrate, and exert mental control are a weakness relative to his verbal reasoning abilities. A weakness in mental control may make the processing of complex information more time-consuming for John, draining his mental energies more quickly as compared to others at his level of ability, and perhaps result in more frequent errors on a variety of learning or complex work tasks.

Processing Speed

John's ability in processing simple or routine visual material without making errors is in the average range when compared to his peers. He performed better than approximately 50% of his peers on the processing speed tasks (Processing Speed Index [PSI] = 100; 95% confidence interval 92-108). John's performance on the subtests that compose the PSI is quite variable; therefore, the PSI score should be interpreted with caution. He performed much better on Symbol Search (Scaled score = 12), which is more demanding of attention to detail and visual discrimination, than on Coding (scaled score = 8), which is more demanding of fine-motor skills, short-term memory, and learning ability.

Summary

John was referred for an evaluation by Jack Mills, his physician, secondary to Physical difficulties (motor function) and Neurological difficulties (traumatic head injury). John is a 45-year-old white male who completed the WAIS-IV. His motor difficulty may have impeded his performance on the nonverbal tasks, and thus his verbal abilities may be the best estimate of John's overall intellectual functioning. John's verbal reasoning abilities are in

the high average range when compared to his peers (VCI = 112). John's ability to sustain attention, concentrate, and exert mental control is in the low average range (WMI = 86). John's ability in processing simple or routine visual material without making errors is in the average range when compared to his peers (PSI = 100). However, due to variability between the two subtests that compose the PSI, caution is warranted when interpreting scores and a closer look at the individual subtests is recommended.

Recommendations

Prior to commencing a task, John should be reminded to think about what will be necessary in order to complete it, including all materials and steps required for task completion.

It is important that more structure be implemented in John's life. Specific household responsibilities and routines are often helpful in this effort. These endeavors must be perceived by the individual as attempts to increase his involvement in the home and sense of self worth. The goal is to make him feel more valuable and significant within the home and family unit.

WAIS-IV Score Summary


Composite Score Summary

| Scale | Sum of Scaled Scores | Composite Score | Percentile Rank | 95% Confidence Interval | Qualitative Description |
|----------------------|----------------------|-----------------|-----------------|-------------------------|-------------------------|
| Verbal Comprehension | 37 | VCI 112 | 79 | 106-117 | High Average |
| Perceptual Reasoning | 22 | PRI 84 | 14 | 79-91 | Low Average |
| Working Memory | 15 | WMI 86 | 18 | 80-94 | Low Average |
| Processing Speed | 20 | PSI 100 | 50 | 92-108 | Average |
| Full Scale | 94 | FSIQ 96 | 39 | 92-100 | Average |
| General Ability | 59 | GAI 99 | 47 | 94-104 | Average |

Confidence Intervals are based on the Overall Average SEMs. Values reported in the SEM column are based on the examinee's age.

The GAI is an optional composite summary score that is less sensitive to the influence of working memory and processing speed. Because working memory and processing speed are vital to a comprehensive evaluation of cognitive ability, it should be noted that the GAI does not have the breadth of construct coverage as the FSIQ.

Composite Score Profile



Composite Scores and Standard Error of Measurement

| | Composite Score | SEM |
|------|-----------------|------|
| VCI | 112 | 2.6 |
| PRI | 84 | 3 |
| WMI | 86 | 3.35 |
| PSI | 100 | 5.41 |
| FSIQ | 96 | 2.12 |
| GAI | 99 | 2.12 |

The vertical bars represent the standard error of measurement (*SEM*).

Analysis

Index Level Discrepancy Comparisons

| Comparison | Score 1 | Score 2 | Difference | Critical Value .05 | Significant Difference Y / N | Base Rate Overall Sample |
|------------|---------|---------|------------|-----------------------|------------------------------------|-----------------------------|
| VCI - PRI | 112 | 84 | 28 | 7.78 | Y | 2.3 |
| VCI - WMI | 112 | 86 | 26 | 8.31 | Y | 2.3 |
| VCI - PSI | 112 | 100 | 12 | 11.76 | Y | 22.2 |
| PRI - WMI | 84 | 86 | -2 | 8.81 | N | 45 |
| PRI - PSI | 84 | 100 | -16 | 12.12 | Y | 14.2 |
| WMI - PSI | 86 | 100 | -14 | 12.47 | Y | 17.7 |
| FSIQ - GAI | 96 | 99 | -3 | 3.29 | N | 30.3 |

Base rate by overall sample.

Statistical significance (critical value) at the .05 level.

Verbal Comprehension Subtests Summary

| Subtest | Raw Score | Scaled Score | Percentile Rank | Reference Group Scaled Score | SEM |
|-----------------|-----------|--------------|-----------------|------------------------------|------|
| Similarities | 30 | 12 | 75 | 13 | 1.04 |
| Vocabulary | 45 | 12 | 75 | 13 | 0.73 |
| Information | 20 | 13 | 84 | 14 | 0.73 |
| (Comprehension) | 25 | 10 | 50 | 11 | 1.16 |

Perceptual Reasoning Subtests Summary

| Subtest | Raw Score | Scaled Score | Percentile Rank | Reference Group Scaled Score | SEM |
|------------------|-----------|--------------|-----------------|------------------------------|------|
| Block Design | 19 | 5 | 5 | 5 | 0.95 |
| Matrix Reasoning | 14 | 8 | 25 | 7 | 0.95 |
| Visual Puzzles | 12 | 9 | 37 | 8 | 0.85 |

Working Memory Subtests Summary

| Subtest | Raw Score | Scaled Score | Percentile Rank | Reference Group Scaled Score | SEM |
|------------|-----------|--------------|-----------------|------------------------------|------|
| Digit Span | 21 | 7 | 16 | 6 | 0.73 |
| Arithmetic | 12 | 8 | 25 | 9 | 0.9 |

Processing Speed Subtests Summary


| Subtest | Raw Score | Scaled Score | Percentile Rank | Reference Group Scaled Score | SEM |
|---------------|-----------|--------------|-----------------|------------------------------|------|
| Symbol Search | 36 | 12 | 75 | 11 | 1.56 |
| Coding | 54 | 8 | 25 | 7 | 1.2 |

Subtest Level Discrepancy Comparisons

| Subtest Comparison | Score 1 | Score 2 | Difference | Critical Value .05 | Significant Difference Y / N | Base Rate |
|-------------------------|---------|---------|------------|--------------------|------------------------------|-----------|
| Digit Span - Arithmetic | 7 | 8 | -1 | 2.57 | N | 42.2 |
| Symbol Search - Coding | 12 | 8 | 4 | 3.41 | Y | 8 |

Statistical significance (critical value) at the .05 level.

Subtest Scaled Score Profile



The vertical bars represent the standard error of measurement (*SEM*)

Determining Strengths and Weaknesses

Differences Between Subtest and Overall Mean of Subtest Scores

| Subtest | Subtest Scaled Score | Mean Scaled Score | Difference | Critical Value .05 | Strength or Weakness | Base Rate |
|------------------|----------------------|-------------------|------------|--------------------|----------------------|-----------|
| Block Design | 5 | 9.40 | -4.4 | 2.85 | W | 2-5% |
| Similarities | 12 | 9.40 | 2.6 | 2.82 | | 15-25% |
| Digit Span | 7 | 9.40 | -2.4 | 2.22 | W | 25% |
| Matrix Reasoning | 8 | 9.40 | -1.4 | 2.54 | | >25% |
| Vocabulary | 12 | 9.40 | 2.6 | 2.03 | S | 15-25% |
| Arithmetic | 8 | 9.40 | -1.4 | 2.73 | | >25% |
| Symbol Search | 12 | 9.40 | 2.6 | 3.42 | | >25% |
| Visual Puzzles | 9 | 9.40 | -0.4 | 2.71 | | >25% |
| Information | 13 | 9.40 | 3.6 | 2.19 | S | 5-10% |
| Coding | 8 | 9.40 | -1.4 | 2.97 | | >25% |

Overall: Mean = 9.4, Scatter = 8, Base rate = 30.2.

Base Rate for Intersubtest Scatter is reported for 10 Full Scale Subtests.

Statistical significance (critical value) at the .05 level.

Process Analysis

Perceptual Reasoning Process Score Summary

| Process Score | Raw Score | Scaled Score | Percentile Rank | SEM |
|----------------------------|-----------|--------------|-----------------|------|
| Block Design No Time Bonus | 45 | 13 | 84 | 1.08 |

Working Memory Process Score Summary

| Process Score | Raw Score | Scaled Score | Percentile Rank | Base Rate | SEM |
|-----------------------------|-----------|--------------|-----------------|-----------|------|
| Digit Span Forward | 11 | 11 | 63 | -- | 1.24 |
| Digit Span Backward | 6 | 7 | 16 | -- | 1.12 |
| Digit Span Sequencing | 4 | 5 | 5 | -- | 1.27 |
| Longest Digit Span Forward | 6 | -- | -- | 79 | -- |
| Longest Digit Span Backward | 3 | -- | -- | 96 | -- |
| Longest Digit Span Sequence | 3 | -- | -- | 97.5 | -- |

Process Level Discrepancy Comparisons

| Process Comparison | Score 1 | Score 2 | Difference | Critical Value .05 | Significant Difference Y / N | Base Rate |
|---------------------------------------------|---------|---------|------------|--------------------|------------------------------|-----------|
| Block Design - Block Design No Time Bonus | 5 | 13 | -8 | 3.08 | Y | 0 |
| Digit Span Forward - Digit Span Backward | 11 | 7 | 4 | 3.65 | Y | 10.3 |
| Digit Span Forward - Digit Span Sequencing | 11 | 5 | 6 | 3.6 | Y | 4.7 |
| Digit Span Backward - Digit Span Sequencing | 7 | 5 | 2 | 3.56 | N | 29.9 |
| Longest DS Forward - Longest DS Backward | 6 | 3 | 3 | -- | -- | 33.5 |
| Longest DS Forward - Longest DS Sequence | 6 | 3 | 3 | -- | -- | 17 |
| Longest DS Backward - Longest DS Sequence | 3 | 3 | 0 | -- | -- | |

Statistical significance (critical value) at the .05 level.



WAIS-IV.com

ISBN 999-6752-91-4
9 789998 752917

PEARSON

Clinical Assessment Group
1950 Bulverde Road
San Antonio, Texas 78259-3701
800.211.8378
PsychCorp.com

PsychCorp products are now part of Pearson.

Copyright © 2009 Pearson Education, Inc. or its affiliate(s). All rights reserved. 80660
PsychCorp is a trademark in the U.S. and/or other countries, of Pearson Education, Inc. or its affiliate(s).
Wechsler Adult Intelligence Scale, and WAIS are registered trademarks in the U.S.
and/or other countries, of Pearson Education, Inc. or its affiliate(s)