



MILLON™
CLINICAL
INVENTORIES

MBMD™ & MBHI™ BIBLIOGRAPHY

REVISED JUNE 2011

800.627.7271 |  PsychCorp | PsychCorp.com

Copyright © 2011 Pearson Education, Inc. or its affiliate(s). All rights reserved. Pearson, design for Psi, and PsychCorp are trademarks, in the U.S. and/or other countries, of Pearson Education, Inc. or its affiliate(s). Millon, MBMD, and MBHI are trademarks of DICANDRIEN, Inc. 5509 06/11 F20BI

MBMD™/MBHI™ Bibliography
June 2011

- Abell, T. L., Cutts, T. F., Karas, J. G., & Kuns, J. (1996). Symptom improvement from prokinetic therapy corresponds to improved quality of life in patients with severe dyspepsia. *Digestive Diseases and Sciences*, 41, 1369–1378.
- Alberts, M. S., Lyons, J. S., & Anderson, R. H. (1988). Relations of coping style and illness variables in ulcerative colitis. *Psychological Reports*, 62, 71–79.
- Allen, G. E., Norton, G. R., & Walker, J. R. (1985). Predicting treatment preferences for agoraphobia. *Behaviour Research & Therapy*, 23, 699–701.
- Amori, G., & Lenox, R. H. (1989). Do volunteer subjects bias clinical trials? *Journal of Clinical Psychopharmacology*, 9, 321–327.
- Andersen, H. S., Birket-Smith, M., Friis, M. L., & Middelboe, T. (1992). Personality traits in patients with postconcussional sequelae. *Journal of Personality Disorders*, 6, 246–255.
- Anderson, K. O., Bradley, L. A., Obrecht, W. F., Richter, J. E., & Young, L. D. (1986). Psychological comparison of patients with nutcracker esophagus and irritable bowel syndrome. *Digestive Diseases and Sciences*, 31, 131–138.
- Antoni, M. H., Blaney, P. H., & Goodkin, K. (1986). Stress and hopelessness in the promotion of cervical intraepithelial neoplasia to invasive squamous cell carcinoma of the cervix. *Journal of Psychosomatic Research*, 30, 67–76.
- Antoni, M. H., & Goldstein, D. A. (1989). The distribution of repressive coping styles among non-metastatic and metastatic breast cancer patients as compared to non-cancer patients. *Psychology & Health*, 3, 245–258.
- Antoni, M. H., & Goodkin, K. (1989). Host moderator variables in the promotion of cervical neoplasia: II. Dimensions of life stress. *Journal of Psychosomatic Research*, 33, 457–467.
- Antoni, M. H., Green, C. J., & Kolitz, S. L. (1988). Personality style and immediate help-seeking responses following the onset of myocardial infarction. *Psychology & Health*, 2, 259–289.
- Barnes, D., Gatchel, R. J., Mayer, T. G., & Smith, D. (1989). Psychosocioeconomic predictors of treatment success/failure in chronic low-back pain patients. *Spine*, 14, 427–430.
- Beck, K. D., Franks, S. F., & Hall, J. R. (2010). Postinjury personality and outcome in acquired brain injury: The Millon Behavioral Medicine Diagnostic. *Physical Medicine and Rehabilitation*, 2, 195–201.

- Bradley, L.A., McDonald-Haile, J., Richter, J. E., & Scarinci, I. C. (1994). Altered pain perception and psychosocial features among women with gastrointestinal disorders and history of abuse: A preliminary model. *The American Journal of Medicine*, 97, 108–118.
- Brandwin, M., Clifford, M., Schwartz, S. M., & Trask, P. C. (2000). Personality predictors of mortality in cardiac transplant candidates and recipients. *Journal of Psychosomatic Research*, 49, 141–147.
- Brandwin, M., & Coffman, K. L. (1999). The Millon Behavioral Health Inventory Life Threat Reactivity scale as a predictor of mortality in patients awaiting heart transplantation. *Psychosomatics*, 40, 44–49.
- Breuer, S. R., Hazlewood, L.A., Pawl, R. P., Sweet, J. J., & Toye, R. (1985). The Millon Behavioral Health Inventory: Concurrent and predictive validity in a pain treatment center. *Journal of Behavioral Medicine*, 8, 215–226.
- Burbridge, C., Cruess, D. G., Antoni, M. H., & Meagher, S. (2011). Using the Millon Behavioral Medicine Diagnostic (MBMD) to evaluate the need for mental health services in association with biomarkers of disease status among HIV positive men and women. *Journal of Clinical Psychology in Medical Settings*, 18, 30–38.
- Butterfield, P. S., & Leclair, S. (1988). Cognitive characteristics of bulimic and drug-abusing women. *Addictive Behaviors*, 13, 131–138.
- Camic, P. M. (1983). Differentiating organic and psychogenic erectile dysfunction with the Millon Behavioral Health Inventory. *Sexuality & Disability*, 6, 145–149.
- Carter, C.A., Carter, R. E., & Prosen, H.A. (1992). Emotional and personality types of breast cancer patients and spouses. *American Journal of Family Therapy*, 20, 300–309.
- Chacko, R. C., Gotto, J., Harper, R. G., Kotik-Harper, D., & Young, J. (1998a). Detection of a psychiatric diagnosis in heart transplant candidates with the MBHI. *Journal of Clinical Psychology in Medical Settings*, 5, 187–198.
- Chacko, R. C., Gotto, J., Harper, R. G., Kotik-Harper, D., & Young, J. (1998b). Self-report evaluation of health behavior, stress vulnerability, and medical outcome of heart transplant recipients. *Psychosomatic Medicine*, 60, 563–569.
- Clark, M. M., Krauss, D. J., Lantinga, L. J., & Schell, R. E. (1988). Differentiating the etiology of male erectile dysfunction using the Millon Behavioral Health Inventory and self-report measures. *Journal of Sex & Marital Therapy*, 14, 263–268.
- Compton, A. B., & Purviance, M. (1992). Emotional distress in chronic medical illness: Treatment with time-limited group psychotherapy. *Military Medicine*, 157, 533–535.

- Cruess, D. G., Localio, A. R., Platt, A. B., Brensinger, C. M., Christie, J. D., Gross, R., Parker, C. S., Price, M., Metlay, J. P., Cohen, A., Newcomb, C. W., Strom, B. L., & Kimmel, S. E. (2010). Patient attitudinal and behavioral factors associated with warfarin non-adherence at outpatient anticoagulation clinics. *International Journal of Behavioral Medicine*, 17, 33–42.
- Cruess, D. G., Minor, S., Antoni, M. H., & Millon, T. (2007). Utility of the Millon Behavioral Medicine Diagnostic (MBMD) to predict adherence to Highly Active Antiretroviral Therapy (HAART) medication regimens among HIV-positive men and women. *Journal of Personality Assessment*, 89(3), 277–290.
- Deckel, A. W., Gatchel, R. J., Smith, J. E., & Weinberg, N. (1985). The utility of the Millon Behavioral Health Inventory in the study of chronic headaches. *Headache*, 25, 49–54.
- Diaz, R. C. (2004). A comparative analysis of individuals in an inpatient program for chronic headache pain, as measured by the MBMD and the MMPI-2. *Dissertation Abstracts International*, 65, 3136.
- Dickson, L. R., Hays, L. R., Kaplan, C., Scherl, E., Abbott, S., & Schmitt, F. (1992). Psychological profile of somatizing patients attending the integrative clinic. *International Journal of Psychiatry in Medicine*, 22, 141–153.
- Downey, J. E., Faust, M., Horn, M. J., & Rowe, J. L. (2000). Psychological and demographic predictors of successful weight loss following silastic ring vertical stapled gastroplasty. *Psychological Reports*, 86, 1028–1036.
- Dubois, P., Gruber, B. L., Hall, N. R., & Hersh, S. P. (1988). Immune system and psychological changes in metastatic cancer patients using relaxation and guided imagery: A pilot study. *Scandinavian Journal of Behaviour Therapy*, 17, 25–46.
- Dufton, B. D. (1990). Depression and the mediation of chronic pain. *Journal of Clinical Psychiatry*, 51, 248–250.
- Elliott, J. L., Elliott, T. R., Jackson, W. T., Palmatier, A. D., & Taylor, R. E. (1998). Negotiating the reality of visual impairment: Hope, coping, and functional ability. *Journal of Clinical Psychology in Medical Settings*, 5, 173–185.
- Ersek, M., Herron, L., Turner, J. A., & Weiner, P. (1992). Does the Millon Behavioral Health Inventory (MBHI) predict lumbar laminectomy outcome? A comparison with the Minnesota Multiphasic Personality Inventory (MMPI). *Journal of Spinal Disorders*, 5, 188–192.
- Eshbaugh, D. M., Murphy, M. A., Tosi, D. J., & Wise, P. S. (1987). Note on the factor structure of the Millon Behavioral Health Inventory. *Psychological Reports*, 60, 799–802.

- Farrell, K., Shen, B. J., Mallon, S., Penedo, F. J., & Antoni, M. H. (2011). Utility of the Millon Behavioral Medicine Diagnostic to predict medication adherence in patients diagnosed with heart failure. *Journal of Clinical Psychology in Medical Settings*, 18, 1–12.
- Fishbain, D., Goldberg, M., Labbe, E. E., Rosomoff, H., & Steele-Rosomoff, R. (1989). Millon Behavioral Health Inventory norms for chronic pain patients. *Journal of Clinical Psychology*, 45, 383–390.
- Fishbain, D., Rosomoff, H. L., Rosomoff, R. S., & Turner, D. (2001). Millon Behavioral Health Inventory scores of patients with chronic pain associated with myofascial pain syndrome. *Pain Medicine*, 2, 328–335.
- Fromm, B. S., Greenberg, D. B., Marron, J. T., & Snyder, V. L. (1984). Use of psychologic testing in characterizing the frequent user of ambulatory health care services. *Journal of Family Practice*, 19, 802–806.
- Gil, T. E., Litman, A., & Nadav, M. (1994). A Hebrew version of the Millon Behavioral Health Inventory: Preliminary results—Brief report. Rakenatti School of Nursing Students. *The Israel Journal of Psychiatry and Related Sciences*, 31, 121–125.
- Green, C., McCleary, J., & Tracy, H. M. (1987). Noncompliance in hemodialysis patients as measured with the MBHI. *Psychology & Health*, 1, 411–423.
- Green, C. J., Meagher, R. B., & Millon, T. (1982). A new psychodiagnostic tool for clients in rehabilitation settings: The MBHI. *Rehabilitation Psychology*, 27, 23–35.
- Grove, K. S., Grove, R. N., & Jay, G. W. (1987). Differentiation of chronic headache from non-headache pain patients using the Millon Clinical Multiaxial Inventory (MCMI). *Headache*, 27, 124–129. *Medical Settings*, 18, 1–12.
- Harper, R. G., Wager, J., & Chacko, R. C. (2010). Psychosocial factors in noncompliance during liver transplant selection. *Journal of Clinical Psychology in Medical Settings*, 17, 71–76.
- Hsu, J. J., Kim, C. H., Weaver, A. L., Williams, D. E., & Zinsmeister, A. R. (1996). A prospective psychological evaluation of patients with dysphagia of various etiologies. *Dysphagia*, 11, 34–40.
- Jensen, H., Kastberg, S., & Simonsen, E. (1991). Utility of the MBHI (Millon Behavioral Health Inventory) in evaluation of low-back pain syndrome. *Nordisk Psykiatrisk Tidsskrift*, 45, 17–21.

- Judah, S. M., Murphy, M. A., & Tosi, D. J. (1989). The effects of a cognitive experiential therapy utilizing hypnosis, cognitive restructuring, and developmental staging on psychological factors associated with duodenal ulcer disease: A multivariate experimental study. *Journal of Cognitive Psychotherapy*, 3, 273–290.
- Kalnins, L., & Tracia, K. (2006). The use of the Millon Behavioral Medicine Diagnostic for screening gastric bypass surgical candidates and an exploration of post-surgical outcomes: A mixed methods design. *Dissertation Abstracts International*, 66, 6280.
- Keogh, N. J., & Siddall, J. W. (1993). Utility of computer interpretive reports based on counselors' ratings of the Diagnostic Inventory of Personality and Symptoms. *Psychological Reports*, 72, 347–350.
- Kleinman, L. I. (2000). The relationship between psychological factors and diabetes control. *Dissertation Abstracts International*, 61, 2766.
- Lavoie, K. L., Bouthillier, D., Bacon, S. L., Lemièrre, C., Martin, J., Hamid, Q., Ludwig, M., Olivenstein, R., & Ernst, P. (2010). Psychologic distress and maladaptive coping styles in patients with severe vs moderate asthma. *Chest*, 137, 1324–1331.
- Leaman, K. (2007). Binge eating disorder, obesity, and psychosocial factors. *Dissertation Abstracts International*, 67, 6740.
- Lee-Riordan, D., & Sweet, J. J. (1994). Relationship between the Millon Behavioral Health Inventory and the Minnesota Multiphasic Personality Inventory (MMPI) in low-back pain patients. *Journal of Clinical Psychology in Medical Settings*, 1, 387–398.
- Meagher, S. E. (2005). The Millon Behavioral Medicine Diagnostic (MBMD) as predictor of HAAT medicine adherence in HIV+ patients. *Dissertation Abstracts International*, 65, 3716.
- Murphy, J. K., Sperr, E. V., & Sperr, S. J. (1986). Chronic pain: An investigation of assessment instruments. *Journal of Psychosomatic Research*, 30, 289–296.
- Murphy, M. A. (1995). Typological description of the chronic low back-pain syndrome using the Millon Behavioral Health Inventory. *Psychological Reports*, 76, 123–124.
- Murphy, M. A., Pariser, R. F., & Tosi, D. J. (1989). Psychological coping and the management of pain with cognitive restructuring and biofeedback: A case study and variation of cognitive experiential therapy. *Psychological Reports*, 64, 1343–1350.
- Myhrer, T., Syversen, J., Watten, R. G., & Vassend, O. (1995). Personality and quality of life. *Social Indicators Research*, 35, 289–302.

- Naber, D. (1988). Personality variables, neurological and psychopathological symptoms in patients suffering from spasmodic torticollis. *Comprehensive Psychiatry*, 29, 182–187.
- Page, S., & Weisberg, M. B. (1988). Millon Behavioral Health Inventory and perceived efficacy of home and hospital dialysis. *Journal of Social & Clinical Psychology*, 6, 408–422.
- Pereira, D. B., Christian, L. M., Patidar, S., Bishop, M. M., Dodd, S. M., Athanason, R., Wingard, J. R., & Reddy, V. S. (2010). Spiritual absence and 1-year mortality after hematopoietic stem cell transplant. *Biology of Blood and Marrow Transplantation*, 16, 1171–1179.
- Redd, W. H., & van Komen, R. W. (1985). Personality factors associated with anticipatory nausea/vomiting in patients receiving cancer chemotherapy. *Health Psychology*, 4, 189–202.
- Robinson, B. E. (1995). Split-half reliability of the work addiction risk test: Development of a measure of workaholism. *Psychological Reports*, 76, 122.
- Rozensky, R. H. (1985). Tolerance of pain by cancer patients in hyperthermia treatment. *Journal of Psychosocial Oncology*, 3, 75–82.
- Rustad, L. C. (1985). A review of the Millon Behavioral Health Inventory. *Journal of Counseling & Development*, 64, 280–282.
- Schelling, H. C. (2004). Psychopathology, quality of psychosocial functioning, and components of self-esteem in early versus late onset severely obese adults seeking gastric bypass Roux-en-Y surgery. *Dissertation Abstracts International*, 64, 4634.
- Segraves, R. T. (1987). Discrimination between psychogenic and biogenic impotence utilizing psychometric instruments. *Sexuality & Disability*, 8, 138–142.
- Watten, R. G. (1996). Coping styles in abstainers from alcohol. *Psychopathology*, 29, 340–346.
- Watten, R. G. (1997). Personality factors and somatic symptoms. *European Journal of Personality*, 11, 57–68.
- Watten, R. G., & Watten, V. P. (1999). Psychological profiles in patients with medically refractory epilepsy. *Seizure*, 8, 304–309.
- Wilcoxson, M. A., Zarski, J. J., & Zook, A. (1988). Predicting behavioral outcomes with two psychological assessment methods in an outpatient pain management program. *Psychology & Health*, 2, 319–333.

- Wise, E.A. (1994a). Personality disorder correspondence between the Millon Behavioral Health Inventory (MBHI) and the Minnesota Multiphasic Personality Inventory (MMPI). *Journal of Clinical Psychology in Medical Settings*, 1, 167–181.
- Wise, E.A. (1994b). Personality style codetype concordance between the MCMI and MBHI. *Journal of Clinical Psychology*, 50, 367–380.
- Wise, E.A. (1995). Personality disorder correspondence among the MMPI, MBHI, and MCMI. *Journal of Clinical Psychology*, 51, 790–798.
- Wittig, A. F. (1994). Psychological characteristics of women volleyball players: Relationships with injuries, rehabilitation, and team success. *Personality & Social Psychology Bulletin*, 20, 322–330.